

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20020073315".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 11:28
L2	193	(smart adj card) and (sleep adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 11:30
L3	18	(smart adj card) same (sleep adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 11:30
L4	34058	"713".CLAS. or "380".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 11:31
L5	3	3 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 12:14
L8	735	(smart adj card) same (finger\$1print)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 12:15
L9	457	(smart adj card) with (finger\$1print)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 12:15
L10	136	4 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 12:15
L11	55	10 and (non\$1volatile)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 13:07
L12	1	restart\$3 with (expired adj session)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 13:12

L15	2	"09/992,207"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 13:15
L16	126	card same ((close\$3 or time\$3) adj out) same prevent\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 13:17
L17	13	card with ((close\$3 or time\$3) adj out) with prevent\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 13:17
L18	88	(smart adj card) same (new adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 14:54
L19	13	(smart adj card) same (new adj card) same (load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 14:57
L20	231	(smart adj card) same (upload\$3 or download\$3) same server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 14:58
L21	61	(smart adj card) with (upload\$3 or download\$3) with server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 15:51
L22	1	(smart adj card) with (upload\$3 or download\$3) with profile\$1 with server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 15:20
L23	24	(smart adj card) same (upload\$3 or download\$3) same profile\$1 same server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 15:32
L24	176	(smart adj card) same (upload\$3 or download\$3) same (data or information or profile) same server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 15:33

L25	0	(to adj smart adj card) same (upload\$3 or download\$3) same (data or information or profile) same server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 15:32
L26	152	24 not 23	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 15:33
L27	31	(smart adj card) with (upload\$3 or download\$3) with (data or information or profile) with server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 15:57
L28	98	multos	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 15:51
L29	0	multos and @ad<="2001"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 15:52
L30	32	multos and @ad<="20011106"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 15:52
L31	0	24 and 29	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 15:53
L32	1	30 and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 15:53
L33	16	(smart adj card) with (load\$3) with (data or information or profile) with server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 15:59
L34	3	(smart adj card) with (load\$3) with (data or information or profile) with server\$1 and @ad<="20011106"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 16:20

L35	1	(smart adj card) with (load\$3) with (data or information or profile) with (user adj computer\$1) and @ad<="20011106"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 16:21
-----	---	--	---	----	-----	------------------